# JYACHTS.

JD Yachts 80 The Esplanade Weymouth Dorset United Kingdom DT4 7AA

Tel: +44 (0)1305 766 504 sales@jdyachts.com



FAIRLINE TARGA 47 GT FOLLOWING THE SUN

GBP 279,950 INC TAX

# MAIN CHARACTERISTICS

Year: 2008

Hull Colours: Sandstone Beige

Lying: Lymington, UK

Engine(s): 2 x 575 HP Diesel Volvo D9

Hours: 800

Length: 14.78 m / 48' 6"

Beam: 3.000 m / 9' 10"

Draft: 1.050 m / 3' 5"

Weight: 14 tons

Fuel Capacity: 1380 litres / 303 gallons

Water Capacity: 364 litres / 80 gallons

Accommodation: 6 berths in 2 cabins

#### **EXTRAS**

- Onan 8 Kva Generator
- Air Conditioning
- Webasto Diesel Heating with Outlet Feeds to Main Cabins
- Additional Webasto Diesel Heating with Outlet Feeds to Cockpit Area
- SidePower Bow Thruster
- SidePower Stern Thruster
- NEW Camper Covers inc. Bespoke Bimini Cover for Aft Bathing Area
- Bespoke Additional Canopy Enclosure Option
- Raymarine e127 HybridTouch MFD
- Raymarine HD Color Raydome
- Raymarine pSeries Autopilot
- Raymarine iSeries MFD
- Raymarine Raydome
- Raymarine TracVision. Additional Dummy Dome
- AIS
- Teak Laid Bathing Platform
- · Teak Laid Cockpit
- Light American Satin Oak Interior Wood Finish
- Holding tank
- Cockpit Wetbar inc Griddle, Fridge
- · Additional Grab Rails to Roof Sections Alongside
- Hydraulic Passarelle
- Upgraded Stereo and Fusion Speakers
- Samsung Smart TV's

### STANDARD SPECIFICATION

#### **HULLFORM AND CONSTRUCTION**

All gel coat and glass fi bre hand laid with unidirectional, biaxial and woven rovings

Bowthruster 8hp

Coloured hull top band

Deep V forward; 18deg deadrise aft

Designed by Bernard Olesinski and the Fairline design team

Full length moulded spray deflectors

Hull/deck join bolted and bonded

Integrally moulded engine bearers

Isophthalic gel coat backed by isophthalic resin-rich powder-bound glass mat

The deck incorporates polyurethane foam cores for high strength and excellent thermal insulation. The integral bathing platform gives the boat a longer waterline length for improved performance, particularly at reduced power settings.

The propellers are set in semi-tunnels enabling the engines to be located further aft, also reducing draught and improving efficiency by reducing the shaft angle

Transverse and longitudinal strengthening stringers throughout hull

#### **DECK**

Anchor chain locker

Anchor winch (electric)

Anchor winch controls

Calibrated anchor chain

Concealed telescopic swim ladder to bathing platform

Full set of IMCO navigation lights

Garage with winch system for concealed stowage of optional Jet RIB or PWC beneath aft sundeck

Hot and cold water transom shower

Moulded non-slip deck surface

Rubbing strake

Recessed self-draining area on foredeck for coachroof sun cushions

Remote control searchlight

Riding light

Self-stowing Delta anchor

Stainless steel bow fairlead(s)

Stainless steel bow, spring and stern cleats

Stainless steel handrails

Stainless steel stemhead roller

Storage in garage

Teak laid bathing platform

Toughened glass curved windscreen

Transom gate from cockpit to integral bathing platform

Twin horns

Water filler(s)

Windscreen washers

Windscreen wipers

#### **HELM POSITION**

12v socket

Adjustable/tilt steering wheel

Bilge pump switches with integral operating warning lights and audible alarms

Bolstered helm seat(s)

Bowthruster controls

Chart stowage

Chart table and light

Controls for engine bay fire extinguisher system

Drinks holders

Echosounder and speedometer/distance log repeater(s) with sea water temperature read out

Electronic single-lever throttle and gear controls

Folding foot plinth

Fuel gauges

Full engine instrumentation including tachometers, oil pressure gauges, temperature gauges,

battery condition indicators, audible alarms and engine hour meters

Helm position indicator

High speed magnetic compass

Hydraulic steering

Remote anchor winch controls

Searchlight controls

Trim tab controls

Twin helm seats

VHF radio telephone

Waterproof switches for navigation and riding lights, windscreen wipers and engine bay extractor fan(s)

# **COCKPIT**

12v heavy duty weatherproof socket

Access via transom deck to port and starboard side decks

Aft cockpit hood with clear panels and zipped doorway

Bathing platform lights

Central dining area

Cockpit bar with teak top, refrigerator, sink, hot and cold water, insulated coolbox

Companion seating to helm

**Drinks holders** 

Engine bay access hatch with stainless steel pneumatic support struts, independent of the tender

garage

Fender stowage

Glove locker

Life raft stowage

Manual bilge pump(s)

Retractable powered hard top

'Reticulated' non-absorbent foam cushions for aft sundeck

Stainless steel handrails

Stowage lockers under cockpit seats

Teak drinks holders

Teak-laid floor throughout self-draining cockpit

Warning light and audible alarm during garage door operation

Warp lockers

#### MAIN SALOON

Aerial and connections for television

Bar unit

CD/radio with 2 speakers in saloon and 2 waterproof speakers in cockpit

Cocktail table converts to dining table

Control panel for 12v/24v/240v domestic electrical circuits

Deck hatch with flyscreen and blind

Full-height standing headroom

Halogen ceiling lights

Handrail

LCD TV

Lockers (overhead)

Sliding door to cockpit with integral blind system

Sofa

Stainless steel opening porthole(s) with flyscreen

Stowage locker under floor

#### **GALLEY**

Crockery stowage

Electric ceramic/halogen hob

Extractor fan

Work surface with covers

Halogen ceiling lights

Integrated waste bin

Lacquered cupboard doors

Lockers (overhead)

Microwave oven

Refrigerator (172L)/freezer (46L) with double door

Random teak floor

Sink/drainer with hot and cold mixer tap

Stainless steel opening porthole(s) with flyscreen

Work surface lights

#### **MASTER CABIN**

Access to en suite bathroom

Bedside stowage

Drawer(s) under bed

Full-height standing headroom

Halogen ceiling lights

Hanging locker (full-height)

Large hatch with flyscreen and concealed blinds to foredeck

Mirror

Moulded stowage locker under hinged bedboard

Oversized double bed

Reading lights

Stainless steel opening porthole(s) with flyscreen

Upholstered bedhead

Wardrobe(s)

#### **MASTER EN SUITE BATHROOM**

220v/240v shaving point

Automatic shower tray pump-out system

Electric silent-flush freshwater toilet

Extractor fan

Vanity unit locker and basin

with hot and cold pressurised water

Full set of bathroom fittings

Full standing height circular shower with solid teak gratings and rotating screen

Halogen ceiling lights

Mirror

Random teak floor

Stainless steel opening porthole(s) with flyscreen

#### **AFT CABIN**

Access to en suite bathroom

Bedside stowage

Full length berths x 2 with sliding conversion to double

Halogen ceiling lights

Mirror

Opening window to cockpit

Reading lights

Stainless steel opening porthole(s) with flyscreen

Upholstered bedheads

Wardrobe(s)

Aft Cabin En Suite Bathroom: 220v/240v shaving point

Automatic shower tray pump-out system

Electric silent-flush freshwater toilet

Extractor fan

Vanity unit locker and basin with hot and cold pressurised water

Full set of bathroom fittings

Full standing height circular shower with solid teak gratings and rotating screen

Mirror

Random teak floor

Stainless steel opening

porthole(s) with flyscreen

#### **ELECTRICAL SYSTEMS**

All 240v, 24v and 12v circuits (where applicable) protected by circuit breakers with main electrical load control panel

Electrical sockets

Heavy duty circuit breakers Isolating switches to all batteries

Onan generator 7kVA

24 Volt: Batteries - 2 x 180Ah zero-maintenance 'AGM' for exclusive port engine starting

Batteries - 2 x 180Ah zero-maintenance 'AGM' for exclusive starboard engine starting

Batteries - 2 x 180Ah zero-maintenance 'AGM' for domestic services

Circuit breaker 100amp for anchor winch

Emergency battery coupling system permits each engine to start from opposite engine battery bank

240 Volt: Battery charger 50amp to domestic batteries with trickle charge to port and starboard engine-start batteries

Polarity check and earth leakage protection system

Power points throughout the boat (fed from shore power or generator)

Shore power supply

#### **ENGINES AND STERNGEAR**

Aerodynamically designed engine air intakes

Automatic bilge pumps for forward bilge, engine bay and rudder bay with manual 'on' override

Automatic engine bay fire extinguisher system

Balanced rudders

Cathodic protection

Dripless shaft seals

Electric engine bay fan(s)

Electric trim tabs with cathodic protection

Engine bay lights

Engine room soundproofing

Exhaust overheat warning system

High capacity emergency manual bilge pump system with dedicated valves

Manganese bronze 'P' brackets

Manganese bronze propellers contra-rotating

Sea cocks on all inlets/outlets below waterline

Stainless steel alloy shafts

Water cooled engine exhausts with silencers and side outlets

Fuel System: Changeover valve system to permit each engine to draw fuel from, and return fuel to, either tank

Emergency fuel shut-off valves accessible via cable-operated remote control

# 05/08/2024

# FAIRLINE TARGA 47 GT FOLLOWING THE SUN

High capacity water separators and fuel filters Individual fillers and vents to port and starboard Marine grade alloy fuel tanks x 2 Freshwater System: Automatic, pressurised supply Calorifier hot water system Water tank(s)

# **OWNER COMMENTS**

Engines serviced March 2024.




























# FAIRLINE TARGA 47 GT FOLLOWING THE SUN













































# FAIRLINE TARGA 47 GT FOLLOWING THE SUN







#### **DISCLAIMER**

Whilst every care has been taken in the preparation of these particulars, their accuracy is not guaranteed. They are intended as guides only and as such do not constitute a part of any contract. A prospective purchaser is advised to check all particulars and where appropriate and at his own expense to employ a qualified marine surveyor to carry out a survey and/or to have an engine trial conducted, which if conducted by us shall not imply any liability on our part. All dimensions, performance figures & range notes given are approximate and should be treated as a guide only. Pictures may be from a brochure or of a similar vessel. Engine hours shown are correct at the time of preparation of the particulars, but will vary with usage. Availability of specific vessels may be subject to change, we therefore recommend you call for confirmation. N.B. Ribs, dinghies, water toys and out-board engines are not included in the sale unless other wise stated.

+44 (0) 1305 766 504 SALES@JDYACHTS.COM © JD YACHTS 2002 - 2024. ALL RIGHTS RESERVED.



