

05/09/2024

FAIRLINE PHANTOM 48 BETELGEUSE



JD Yachts  
80 The Esplanade  
Weymouth  
Dorset  
United Kingdom  
DT4 7AA  
Tel: +44 (0)1305 766 504  
sales@jdyachts.com



**FAIRLINE PHANTOM 48**

**BETELGEUSE**

GBP 439,950 INC TAX

MAIN CHARACTERISTICS

Year:	2009
Hull Colours:	White
Lying:	Torquay, UK
Engine(s):	2 x 575 HP Diesel Volvo Penta D9-575 EVC
Hours:	310
Length:	15.25 m / 50' 0"
Beam:	4.460 m / 14' 8"
Draft:	1.120 m / 3' 8"
Weight:	17 tons
Fuel Capacity:	1664 litres / 366 gallons
Water Capacity:	500 litres / 110 gallons
Accommodation:	6 berths in 3 cabins

**EXTRAS**

- Air Conditioning Throughout
- Blue Mood Lights to Cockpit
- Dockmate 'Twist' Proportional System (New 2021)
- Flybridge Bimini
- Flybridge Wetbar with Grill, Sink & Fridge
- Hydraulic Passarelle
- JVC Sound System
- Mastervolt Inverter
- Onan Generator 7Kva
- Raymarine AIS 700 (New 2021)
- Raymarine Axiom Pro 12 Multifunction 12" Display to Both Helms (New 2021)
- Raymarine DST810 0 Degree Depth, Speed, Temperature Transduced (New 2021)
- Raymarine Evolution Autopilot (New 2021)
- Raymarine i70 Multifunction Colour Displays to Both Helms (New 2021)
- Raymarine Quantum 18" Radar (New 2021)
- Satellite TV
- Sharp Combi Microwave
- SidePower Proportional Bow Thruster 120kg (New 2021)
- SidePower Proportional Stern Thruster 100kg (New 2021)
- Silent Electric Flush toilets
- Solid Oak Flooring in Saloon
- Teak Laid Bathing Platform
- Teak Laid Cockpit
- Teak Laid Flybridge
- Upgraded Domestic 88L Cool Box & Freezer (New 2021)
- Washer/ Dryer

## STANDARD SPECIFICATION

### HULLFORM AND CONSTRUCTION

All gel coat and glass fibre hand laid with unidirectional, biaxial and woven rovings  
Deep 'V' forward; 18° deadrise aft  
Design, layout and detailing by the Fairline Design Team. Naval architecture and structural engineering by Bernard Olesinski  
Full length moulded spray deflectors  
Hull/deck join bolted and bonded  
Integrally moulded engine bearers  
Isophthalic gel coat backed by isophthalic resin-rich powder-bound glass mat  
The deck incorporates polyurethane foam cores for high strength and excellent thermal insulation  
The integral bathing platform gives the boat a longer waterline length for improved performance, particularly at reduced power settings  
The propellers are set in semi-tunnels enabling the engines to be located further aft, also reducing draught and improving efficiency by reducing the shaft angle  
Transverse and longitudinal strengthening stringers throughout hull

### DECK

Anchor chain locker  
Anchor winch (electric)  
Anchor winch controls  
Calibrated anchor chain  
External covers to windscreen  
Full set of IMCO navigation lights  
Hot and cold water transom shower  
Moulded non-slip deck surface  
Recessed self-draining area on foredeck for coachroof sun cushions  
Riding light  
Rubbing strake  
Self-stowing through-hull Delta® anchor  
Stainless steel bow, spring and stern cleats  
Stainless steel bow fairlead(s)  
Stainless steel grab rail(s) on each transom wing  
Stainless steel handrails  
Stainless steel hull protection plate under bow  
Stainless steel pulpit  
Teak laid bathing platform  
Telescopic boarding ladder to bathing platform  
Toughened glass curved windscreen  
Transom gate from cockpit to integral bathing platform  
Twin horns  
Water filler(s)  
Windscreen washers  
Windscreen wipers



**FLYBRIDGE AND SECOND HELM POSITION**

12v heavy duty weatherproof socket  
Access hatch  
Acrylic dodgers  
Adjustable/tilt steering wheel  
Adjustable bolstered helm seating  
Bilge pump warning lights and audible alarms  
Bowthruster controls  
Companion seating to helm  
Drinks holders  
Echosounder and speedometer/distance log repeater(s) with sea water temperature read out  
Electronic single-lever throttle and gear controls for port and starboard engines  
Flybridge bar with sink and refrigerator  
Helm position indicator  
High speed magnetic compass  
Instrument covers  
Moulded non-slip deck surface  
Powered steering  
Remote anchor winch controls  
Remote control searchlight with controls at both helm stations  
Repeat autopilot controls  
Repeat engine bay fire extinguisher controls  
Repeat flybridge engine instrumentation, controls and electronics  
Stainless steel handrails  
Teak laid oversize flybridge steps  
Trim tab controls  
Upholstered seating area with table, convertible to cushioned sunbathing area  
VHF radio telephone incorporating intercom  
Wind-deflecting screen with grab rail

**AFT COCKPIT/TRANSOM**

12v heavy duty weatherproof socket  
Access hatch to engine room  
Aft cockpit enclosure covers  
Bathing platform lights  
Cockpit lights  
Dedicated aft cabin access separate from cushioned rear seating  
Emergency fuel shut-off valves  
Engine bay access hatch with stainless steel pneumatic support struts  
Engine bay fire extinguisher control  
Manual bilge pump(s)  
Stainless steel framed sliding door to main saloon  
Teak laid floor throughout self-draining cockpit  
Warp lockers

## **MAIN HELM POSITION**

12v socket  
Adjustable/tilt steering wheel  
Adjustable air vents  
Autopilot  
Bilge pump switches with integral operating warning lights and audible alarms  
Bolstered helm seat(s)  
Bowthruster controls  
Controls for engine bay fire extinguisher system  
Electronic single-lever throttle and gear controls for port and starboard engines  
Folding foot plinth  
Fuel gauges  
Full engine instrumentation including; tachometers, oil pressure gauges, temperature gauges, battery condition indicators, audible alarms and engine hour meters  
Helm position indicator  
High speed magnetic compass  
Mood lighting  
Opening side window (manual)  
Powered steering  
Red night-light illumination to helm  
Remote anchor winch controls  
Searchlight controls  
Switches for navigation and riding lights, windscreen wipers and engine bay extractor fans  
Trim tab controls

## **MAIN SALOON**

Aerial and connections for television  
Cocktail table converts electrically to dining table  
Freestanding 2 seat sofa  
Full-height standing headroom  
Halogen ceiling lights  
Handrail  
Sideboard to port housing LCD TV, DVD/CD/Radio and optional refrigerator  
Sofa

## **GALLEY**

Crockery stowage in sideboard  
Electric ceramic/halogen hob  
Extractor fan  
Foundations® work surface with covers  
Halogen ceiling lights  
Integrated waste bin  
Lacquered cupboard doors  
Microwave oven

05/09/2024

## FAIRLINE PHANTOM 48 BETELGEUSE

Refrigerator with integral icebox with automatic 24v/240v changeover  
Sink with hot and cold mixer tap  
Underfloor stowage hold or optional freezer  
Work surface lights

### **MASTER STATEROOM**

Access to AC/DC distribution panel  
Access to en suite bathroom  
Drawers to starboard with optional LCD television  
Full-height standing headroom  
Full width master stateroom with triple portrait feature windows - port and starboard  
Halogen ceiling lights  
Mirror  
Oversized double bed  
Reading lights  
Twin bedside tables  
Upholstered bedhead  
Wardrobe(s)

### **MASTER EN SUITE BATHROOM**

220v/240v shaving point  
Automatic shower tray pump-out system  
Electric silent-flush freshwater toilet  
Extractor fan  
Avonite® vanity unit locker and basin with hot and cold pressurised water  
Full set of bathroom fittings  
Full standing height shower with solid teak gratings and hinged door  
Halogen ceiling lights  
Lockers (overhead)  
Mirror  
Stainless steel opening porthole(s) with flyscreen

### **FORWARD STATEROOM**

Access to en suite bathroom  
Bedside stowage  
Drawer(s) under bed with integrated linen box  
Halogen ceiling lights  
Large hatch(es) with flyscreen and concealed blinds to foredeck  
Lockers (overhead)  
Mirror  
Oversized double bed  
Reading lights  
Stainless steel opening porthole(s) with flyscreen  
Wardrobe(s)

## **STARBOARD GUEST CABIN**

Bedside stowage

Full length pullman berths to upper and lower bunks to provide maximum cabin flexibility

Halogen ceiling lights

Mirror

Reading lights

Stainless steel opening porthole(s) with flyscreen

Wardrobe(s)

## **SHOWER/ HEAD COMPARTMENTS**

220v/240v shaving point

Automatic shower tray pump-out system

Electric silent-flush freshwater toilet

Extractor fan

Foundations® or Avonite® vanity unit locker and basin with hot and cold pressurised water

Full set of bathroom fittings

Full standing height shower with solid teak gratings and hinged door

Halogen ceiling lights

Lockers (overhead)

Mirror

Stainless steel opening porthole(s) with flyscreen

## **ELECTRICAL SYSTEMS**

All 240v, 24v and 12v circuits (where applicable) protected by circuit breakers with main electrical load control panel

Battery isolating switches

Heavy duty circuit breakers

Isolating switches to all batteries

Onan generator 7kVA

24 Volt:

Batteries - 2 x 180Ah 'sealed for life' for domestic supply

Batteries - 4 x 180Ah 'sealed for life' for engine starting

240 Volt:

Polarity check and earth leakage protection system

Regulated battery charger 100amp for all batteries

Shore power supply

## **ENGINES AND STERNGEAR**

Access through cockpit hatch

Aerodynamically designed engine air intakes

Automatic bilge pumps for forward bilge, engine bay and rudder bay with manual 'on' override

Automatic engine bay fire extinguisher system

Balanced rudders  
Cathodic protection  
Dripless shaft seals  
Electric engine bay fan(s)  
Electric trim tabs with cathodic protection  
Engine bay lights  
Engine room soundproofing  
Exhaust overheat warning system  
High capacity emergency manual bilge pump system with changeover valves  
High corrosion-resistant TEMET shafts  
Manganese bronze 'P' brackets  
Manganese bronze propellers contra-rotating  
Sea cocks on all inlets/outlets below waterline  
Water cooled through-hull engine silencers

## **FUEL SYSTEM**

Changeover valve system to permit each engine to draw fuel from, and return fuel to, either tank  
Emergency fuel shut-off valves accessible via cable-operated remote control  
Fuel filler splash stop and anti-foaming device  
High capacity water separators and fuel filters  
Individual fillers and vents to port and starboard  
Marine grade alloy fuel tanks x 2

## **FRESHWATER SYSTEM**

Automatic, pressurised supply  
Calorifier hot water system  
Water tank(s)

05/09/2024

FAIRLINE PHANTOM 48 BETELGEUSE

**OWNER COMMENTS**

Antifouled and polished - January 2024 New anodes - January 2024 Engines Serviced - November 2023 Generator Serviced - November 2023



05/09/2024

FAIRLINE PHANTOM 48 BETELGEUSE













05/09/2024

FAIRLINE PHANTOM 48 BETELGEUSE













05/09/2024

FAIRLINE PHANTOM 48 BETELGEUSE

























05/09/2024

FAIRLINE PHANTOM 48 BETELGEUSE





05/09/2024

FAIRLINE PHANTOM 48 BETELGEUSE













05/09/2024

FAIRLINE PHANTOM 48 BETELGEUSE



05/09/2024

FAIRLINE PHANTOM 48 BETELGEUSE





05/09/2024

FAIRLINE PHANTOM 48 BETELGEUSE



05/09/2024

FAIRLINE PHANTOM 48 BETELGEUSE













05/09/2024

FAIRLINE PHANTOM 48 BETELGEUSE

















05/09/2024

FAIRLINE PHANTOM 48 BETELGEUSE

















05/09/2024

FAIRLINE PHANTOM 48 BETELGEUSE







05/09/2024

FAIRLINE PHANTOM 48 BETELGEUSE

























## DISCLAIMER

Whilst every care has been taken in the preparation of these particulars, their accuracy is not guaranteed. They are intended as guides only and as such do not constitute a part of any contract. A prospective purchaser is advised to check all particulars and where appropriate and at his own expense to employ a qualified marine surveyor to carry out a survey and/or to have an engine trial conducted, which if conducted by us shall not imply any liability on our part. All dimensions, performance figures & range notes given are approximate and should be treated as a guide only. Pictures may be from a brochure or of a similar vessel. Engine hours shown are correct at the time of preparation of the particulars, but will vary with usage. Availability of specific vessels may be subject to change, we therefore recommend you call for confirmation. N.B. Ribs, dinghies, water toys and out-board engines are not included in the sale unless other wise stated.

+44 (0) 1305 766 504

SALES@JDYACHTS.COM

© JD YACHTS 2002 - 2024. ALL RIGHTS RESERVED.