JYACHTS.

JD Yachts 80 The Esplanade Weymouth Dorset United Kingdom DT4 7AA

Tel: +44 (0)1305 766 504 sales@jdyachts.com



FAIRLINE SQUADRON 78

EUR 1,175,000 INC TAX

MAIN CHARACTERISTICS

Year: 2010

Hull Colours: White

Lying: Alicante, Spain

Engine(s): 2 x 1200 HP Diesel Caterpillar C32

Hours: 990

Length: 24.37 m / 79' 11"

Beam: 5.700 m / 18' 8"

Draft: 1.610 m / 5' 3"

Weight: 51 tons

Fuel Capacity: 5892 litres / 1295 gallons

Water Capacity: 1140 litres / 251 gallons

Accommodation: 8 berths in 4 cabins

EXTRAS

- 2 x Onan GeneratorS
- 2 x Garmin Map 5012, 1 x Garmin Map 5008
- Garmin GHS101 VHF
- Garmin Radar
- Garmin GHC 10 Autopilot + Remote Control
- Garmin GMI 10 Log
- Hans Grohe Taps throughout
- · Adjustable lighting throughout
- New exterior covers
- Full winter cover from stern to bow
- New cockpit Van Besouw carpet fitted
- Central vacuum system
- B&O TV sound paper
- Electric side doors
- Mcmurdo ICS Nac 6 Navtex
- FLIR infrared camera system
- CAT motor management system
- Miele dishwasher
- Hydraulic trim tabs
- Truevision kvh
- Zanussi washer dryer
- Opacmare crane on flybridge

STANDARD SPECIFICATION

HULLFORM AND CONSTRUCTION

All gel coat and glass fibre hand laid with unidirectional, biaxial and woven rovings

Antifouling protection to hull

Black water holding tank with input from all heads

Bowthruster (hydraulic) 25hp

Deep 'V' forward; 18° deadrise aft

Designed by Bernard Olesinski and the Fairline design team

Full length moulded spray deflectors

Hull/deck join bolted and bonded

Integrally moulded engine bearers

Isophthalic gel coat backed by isophthalic resin-rich powder-bound glass mat

Owner's manual

Sternthruster (hydraulic) 20hp

The deck incorporates polyurethane foam cores for high strength and excellent thermal insulation. The propellers are set in semi-tunnels enabling the engines to be located further aft, also reducing draught and improving efficiency by reducing the shaft angle.

Transverse and longitudinal strengthening stringers throughout hull

Underwater lights

DECK

Anchor chain locker

Anchor winch controls

Anchor winch (hydraulic)

Blue LED side deck illumination

Concealed telescopic swim ladder to bathing platform

Deck-wash points fore and aft

Deckwash outlets

External covers to windscreen

Fairlead(s) aft

Fender set

Fender stowage

Full set of IMCO navigation lights

Hot and cold water transom shower

Hydraulic hi/lo bathing platform for tender launching and recovery

Hydraulic transom gate from cockpit to integral bathing platform

Recessed self-draining area on foredeck with coachroof sun cushions and adjustable backrests

Riding light

Rubbing strake

Stainless steel bow fairlead(s) and mooring drums aft

Stainless steel bow, spring and stern cleats

Stainless steel calibrated chain

Stainless steel grab rail(s) on each transom wing

Stainless steel handrails

Stainless steel hull protection plate under bow

Stainless steel self-stowing through-hull Delta® anchor

Stainless steel pulpit

Stainless steel removable guardrails for bathing platform

Teak-laid bathing platform

Teak-laid side decks

Twin horns

Water fillers to port and starboard

Stainless steel pantograph windscreen wipers

Windscreen washers

TENDER/PWC STOWAGE

Heavy duty crane fitted to the aft flybridge for PWC launching and recovery - lift capacity 375kg Hi/lo platform grab rail

Hydraulic hi/lo bathing platform for tender launching and recovery

FLYBRIDGE AND SECOND HELM POSITION

12v heavy duty weatherproof socket

Adjustable/tilt steering wheel

Bilge pump warning lights and audible alarms

Bow and stern thruster controls

Companion seating to helm

Dedicated dining seating with hi/lo table for sunbed conversion

Drinks holders

Echosounder and speedometer/distance log repeater(s) with sea water temperature read out

Electrically adjusted backrest creating extended sunbathing deck

Electronic single-lever throttle and gear controls for port and starboard engines

Flybridge bar with refrigerator, icemaker, sink and electric griddle

Flybridge crane

Furniture covers

Helm position indicator

High speed magnetic compass

Instrument covers

Open scanner radar to mast

Powered steering

Remote anchor winch controls

Remote control searchlight

Repeat autopilot controls

Repeat engine bay fire extinguisher controls

Repeat flybridge engine instrumentation, controls and electronics

Stainless steel handrails

Searchlight controls

Teak-laid flybridge flooring

Teak-laid oversize flybridge steps

Trim tab controls

Twin independent

Recaro® helm and co-pilot seats with adjustment

Twin liferaft stowage

Twin radar masts with down-lighting

Twin Raymarine E120 navigation displays

VHF radio telephone incorporating intercom to main helm plus loudhailer function

AFT COCKPIT/TRANSOM

12v heavy duty weatherproof socket

Access hatch to engine room

Aft cockpit enclosure covers

Blue LED lighting to cockpit

Dockside television and phone inlets

Emergency boat shutdown switch

Emergency fuel shut-off valves

Fender stowage

Handrail surround (solid teak)

Low-level lights and lights under flybridge overhang

Manual bilge pump(s)

Opening porthole in crew cabin door

Service corridor (with 'closed' crew cabin option) accessed via cockpit and transom door

Stainless steel-framed sliding door to main saloon

Teak-laid floor

throughout self-draining cockpit

Telescopic hydraulic concealed

passerelle with remote control

Third helm station (remote) - bow and

stern thrusters and engine controls

Warp lockers

MAIN HELM POSITION

12v socket

Access from helm to deck via 2 electrically locking side doors

Adjustable air vents

Adjustable/tilt steering wheel

Bilge pump switches with integral operating warning lights and audible alarms

Bow and stern thruster controls

Centralised vacuum cleaning system for lower and upper decks

Chain counter

Chart stowage

Chart table and light

Controls for engine bay fi re extinguisher system

Drinks holders

Echosounder and speedometer/distance log repeater(s) with sea water temperature read out

Electronic single-lever throttle and gear controls for port and starboard engines

Engine diagnostic system

Foghorn with siren and loudhailer facility

Full engine instrumentation including; tachometers, oil pressure gauges, temperature gauges,

battery condition indicators, audible alarms and engine hour meters

GPS/radar/chartplotter interfaced with autopilot

Helm position indicator

High speed magnetic compass

Powered steering

Raymarine E120 navigation display

Raymarine E80 navigation display

Red night-light illumination to helm

Remote anchor winch controls

Searchlight controls

Teak-laid floor

Twin independent

Recaro® helm and co-pilot seats with electric adjustment

Trim tab controls

VHF radio telephone incorporating intercom to upper helm plus loud hailer function

PORT HELM AREA

Storage lockers
Port Helm Area - Port Helm Area Breakfast Bar Option
Breakfast stools x 2
Granite work surface
Storage lockers
Teak-laid floor

PORT HELM AREA - PORT HELM AREA HELM COMPANION SEATING OPTION

Fully upholstered companion sofa Teak-laid floor

PORT HELM AREA - PORT HELM AREA NAVIGATOR'S HELM OPTION

Electrically adjustable navigator's seat
Extending chart table
Helm extension for additional equipment installations
Seat base stowage
Teak-laid floor

MAIN SALOON

Drinks cabinets complete with 6 'Squadron' engraved lead crystal tumblers Halogen ceiling lights

Handrail

Large screen LCD TV and state-of-the-art BANG & OLUFSEN® surround sound DVD/CD/radio Luxurious seating arrangements

DINING ROOM

Freestanding chairs x 8
Freestanding dining table
Halogen ceiling lights

GALLEY

Crockery stowage

Cutlery drawer

Dedicated freezer below countertop

Dedicated refrigerator below countertop

Dishwasher to galley

Electric induction hob (4-burner)

Extractor fan

Halogen ceiling lights

Integrated waste bin

Lacquered cupboard doors

Microwave oven combination with separate convection oven

Open or closed plan galley arrangement

Sink/recessed drainer with hot and cold mixer tap and waste disposal unit

Teak-laid floor

Trash compactor

Work surface lights

Work surface options

MASTER STATEROOM

Access to en suite bathroom

Bedside stowage

Drawer(s) under bed

Full width master stateroom with triple portrait feature windows - port and starboard

Full-height standing headroom

Halogen ceiling lights

Home cinema surround sound DVD/CD/radio

Kingsize double bed with interior sprung mattress and ventilation slats

LCD TV

Mirror

Reading lights

Recessed bookshelves

Refrigerator/minibar

Sofa

Twin bedside tables

Vanity unit/bureau with chair, 240v power, telephone and inverter points

MASTER EN SUITE DRESSING ROOM

Built-in security safe

Halogen ceiling lights

Hanging rails and drawers to optimise space

Mirror

Twin portrait portholes with flyscreen

Optional full width extended dressing room available when starboard guest cabin/master en suite bathroom conversion is selected

MASTER EN SUITE BATHROOM

220v/240v shaving point

Bidet

Electric flush toilet

Extractor fan

Full set of bathroom fi ttings

Halogen ceiling lights

Large walk-in shower with solid teak gratings, body-jets, seat and hinged glass door

Mirror

Twin portrait portholes with flyscreen

Vanity unit with twin washbasins

Work surface options

FORWARD STATEROOM

Access to en suite bathroom

Bedside stowage

Built-in security safe

Drawer(s) under bed

DVD/CD/radio

Halogen ceiling lights

Kingsize double bed with interior sprung mattress and ventilation slats

Large hatch(es) with flyscreen and concealed blinds to foredeck

LCD TV

Mid-level port and starboard lockers

Mirror

Reading lights

Stainless steel opening porthole(s) with flyscreen

Vanity unit

Wardrobe(s)

STARBOARD GUEST CABIN

Bedside stowage

Drawer(s) under bed

DVD/CD/radio

Full length berths x 2 with high-comfort interior sprung mattresses

Halogen ceiling lights

LCD TV

Lockers (mid-level)

Mirror

Reading lights

Stainless steel opening porthole(s) with flyscreen

Ventilation slats below mattress

Wardrobe(s)

Optional en suite bathroom to the master stateroom incorporating large walk-in shower with solid teak gratings, body-jets and hinged glass door as well as a vanity unit with twin pedestal washbasins, bidet and freshwater vacuum flush toilet

PORT GUEST CABIN

Access to en suite bathroom

Bedside stowage

Drawer(s) under bed

DVD/CD/radio

Full length berths x 2 with high-comfort interior sprung mattresses

Halogen ceiling lights

LCD

TV

Lockers (mid-level)

Mirror

Reading lights

Stainless steel opening porthole(s) with flyscreen

Ventilation slats below mattress

Wardrobe(s)

FORWARD EN SUITE AND GUEST BATHROOMS

220v/240v shaving point

Electric flush toilet

Extractor fan

Full set of bathroom fi ttings

Full standing height shower with solid teak gratings, seat and hinged glass door

Mirror

Skylight

Stainless steel opening porthole(s) with flyscreen

Vanity unit with washbasin

Work surface options

AFT CREW CABIN

CD/radio

Choice of open or closed arrangements

Clothes washer/dryer

En suite shower/heads facility

Extractor fan

Full length berths x 2

Hanging locker (half-height)

Hanging rail

LCD TV/DVD

Stainless steel opening porthole(s) with flyscreen

AIR CONDITIONING AND HEATING SYSTEMS

Adjustable air vents to all upper-level living accommodation
Air conditioning unit to aft cabin(s)
Air conditioning/reverse cycle heating system including screen demist to lower helm

Digital controls to all air handlers

CREW DAY AREA WITH GALLEY FACILITIES

3-seater settee
Microwave oven
Refrigerator
Sink with hot and cold mixer tap
Stowage cupboards
Work surface options

HYDRAULIC SYSTEM

Centralised hydraulic system (passerelle/transom door/bowthruster/sternthruster and windlass)

ELECTRICAL SYSTEMS

All 12v equipment supplied from separate battery

All 240v, 24v and 12v circuits (where applicable) protected by circuit breakers with main electrical load control panel

Electrical sockets

Emergency boat shutdown switch

Heavy duty circuit breakers

Remotely and manually operated isolating switches for all batteries

12 Volt: Battery - 1 x 200Ah

Battery charger 60amp

24 Volt: 24v-12v 20amp converter

Batteries - 4 x 200Ah for domestic services

Battery isolating switches located in service corridor

Batteries - 2 x 200Ah exclusively for port engine starting

Batteries - 2 x 200Ah exclusively for starboard engine starting

Emergency battery coupling system permits each engine to start from opposite engine battery

bank

240 Volt: 5000W inverter Battery charger 75amp

Glendinning cable masters with twin 63amp shoreline sockets stowed in drums

Isolation transformers 2 x 18kVA each with soft starts

Onan generator 2 x 17.5kW with through-hull exhausts

Power points throughout the boat (fed from shore power or generator)

Regulated charger 100amp with 2 x 3amp slave to port and starboard batteries

Shore power supply

ENGINES AND STERNGEAR

Access through cockpit floor hatches to engine bay and service corridor

Automatic engine bay fire extinguisher system with warnings at both helms

Automatic high capacity bilge pumps for forward bilge, engine bay and rudder bay

Cathodic protection

Dripless shaft seals

Electro-hydraulic trim tabs with cathodic protection

Engine bay lights

Engine room soundproofing

Exhaust overheat warning system

High capacity emergency manual bilge pump system with changeover valves

High corrosion-resistant TEMET shafts

Large diameter contra-rotating manganese bronze propellers

Manganese bronze 'P' brackets and rudders

Reverso® oil change system

Sea cocks on all inlets/outlets below waterline

Water cooled through-hull engine silencers

FUEL SYSTEM

Concealed fuel fillers port and starboard

Fuel filler splash stop and anti-foaming device

High capacity water separators and fuel fi Iters with audible alarms at lower helm

Individual fillers and vents to port and starboard

Integrated cross-over fuel system

Marine grade alloy fuel tanks x 2

Self-balancing fuel fi lling system

Sight gauges to fuel tanks

FRESHWATER SYSTEM

Automatic, pressurised supply with manual 'OFF' override switch at lower helm Calorifier hot water system Water tank(s)

WASTE WATER SYSTEM

Automatic tank discharge with manual override
Electric flush toilet
Holding tank for aft cabin (8 gallon/10 US gallon 37L capacity)
Holding tanks x 2 (85 gallon/100 US gallon (385L) total capacity)



















































DISCLAIMER

Whilst every care has been taken in the preparation of these particulars, their accuracy is not guaranteed. They are intended as guides only and as such do not constitute a part of any contract. A prospective purchaser is advised to check all particulars and where appropriate and at his own expense to employ a qualified marine surveyor to carry out a survey and/or to have an engine trial conducted, which if conducted by us shall not imply any liability on our part. All dimensions, performance figures & range notes given are approximate and should be treated as a guide only. Pictures may be from a brochure or of a similar vessel. Engine hours shown are correct at the time of preparation of the particulars, but will vary with usage. Availability of specific vessels may be subject to change, we therefore recommend you call for confirmation. N.B. Ribs, dinghies, water toys and out-board engines are not included in the sale unless other wise stated.

+44 (0) 1305 766 504 SALES@JDYACHTS.COM © JD YACHTS 2002 - 2025. ALL RIGHTS RESERVED.



