

12/15/2025

FAIRLINE TARGA 52 GRAN TURISMO

**JD YACHTS.**

JD Yachts  
80 The Esplanade  
Weymouth  
Dorset  
United Kingdom  
DT4 7AA  
Tel: +44 (0)1305 766 504  
sales@jdyachts.com



**FAIRLINE TARGA 52 GRAN TURISMO**

GBP 329,950 INC TAX

**MAIN CHARACTERISTICS**

Year:	2006
Hull Colours:	Blue
Lying:	South Coast, UK
Engine(s):	2 x 775 HP Diesel Volvo D12-800
Hours:	685
Length:	16.22 m / 53' 3"
Beam:	4.270 m / 14' 0"
Draft:	1.090 m / 3' 7"
Weight:	18 tons
Fuel Capacity:	1820 litres / 400 gallons
Water Capacity:	455 litres / 100 gallons
Accommodation:	6 berths in 3 cabins

**EXTRAS**

- Raymarine E120 GPS/Radar Chartplotter
- Raymarine 4kw Digital Radome
- Raymarine ST70 Autopilot
- Raymarine ST70 Depth & Speed Log
- AIS
- 2 X Raymarine Cameras to Port Aft Quarter and Engine Room
- Reverse Cycle Air Conditioning throughout including Cockpit
- 13.5kW Onan Generator
- Hydraulic Paserelle
- Upgraded Side Power Bow & Stern Thrusters
- Teak Laid Side Decks
- Cockpit Wetbar inc. Griddle & Ice Maker
- Additional TV to Cockpit
- Holding Tank
- Dash Skylight to Port Cabin
- American Cherry Interior Wood
- Black Coral Galley Worktop
- Fresh Water Deck Wash
- Bespoke Aft Canopy/Bimini Framework
- Stainless Steel Stern Guard Rail
- Under Water Lights
- Additional Engine Room Lighting
- Windscreen Demist Fans
- Electric Heated Towel Rails
- Blue Low Level Cockpit Lights

## **STANDARD SPECIFICATION**

### **HULLFORM AND CONSTRUCTION**

All gel coat and glass fibre hand laid with unidirectional, biaxial and woven rovings Antifouling protection to hull  
Deep V forward; 20deg deadrise aft  
Designed by Bernard Olesinski and the Fairline design team  
Full length moulded spray deflectors  
Hull/deck join bolted and bonded  
Integrally moulded engine bearers  
Isophthalic gel coat backed by isophthalic resin-rich powder-bound glass mat  
The deck incorporates polyurethane foam cores for high strength and excellent thermal insulation  
The integral bathing platform gives the boat a longer waterline length for improved performance, particularly at reduced power settings  
The propellers are set in semi-tunnels enabling the engines to be located further aft, also reducing draught and improving efficiency by reducing the shaft angle  
Transverse and longitudinal strengthening stringers throughout hull

### **DECK**

Anchor chain locker  
Anchor winch (electric)  
Anchor winch controls  
Calibrated anchor chain  
Concealed telescopic swim ladder to bathing platform  
Full set of IMCO navigation lights  
Garage with winch system for concealed stowage of optional Jet RIB or PWC beneath aft sundeck  
Hot and cold water transom shower  
Life raft stowage  
Moulded non-slip deck surface  
Recessed self-draining area on foredeck with coachroof sun cushions  
'Reticulated' non-absorbent foam cushions for forward and aft sundeck  
Remote control searchlight  
Riding light  
Rubbing strake  
Self-stowing through-hull Delta anchor  
Stainless steel bow fairlead(s)  
Stainless steel bow, spring and stern cleats  
Stainless steel handrails  
Stainless steel hull protection plate under bow  
Stainless steel pulpit  
Teak-laid bathing platform  
Toughened glass curved windscreen  
Transom gate from cockpit to integral bathing platform  
Twin horns  
Water filler(s)

Windscreen washers

Windscreen wipers

## **HELM POSITION**

12v socket

Adjustable/tilt steering wheel

Bilge pump switches with integral operating warning lights and audible alarms

Bolstered helm seat(s)

Bowthruster controls

Chart table and light

Controls for engine bay fire extinguisher system

Drinks holders

Echosounder and speedometer/distance log repeater(s) with sea water temperature read out

Electronic single-lever throttle and gear controls

Folding foot plinth

Fuel gauges

Full engine instrumentation including; tachometers, oil pressure gauges, temperature gauges, battery condition indicators, audible alarms and engine hour meters

GPS chartplotter interfaced with autopilot

Helm position indicator

High speed magnetic compass

Powered steering

Raymarine E120 navigation display

Remote anchor winch controls

Searchlight controls

Trim tab controls

VHF radio telephone

Waterproof switches for navigation and riding lights, windscreen wipers and engine bay extractor fan(s)

## **COCKPIT**

12v heavy duty weatherproof socket

Access via transom deck to port and starboard side decks

Aft cockpit hood with clear panels and zipped doorway

Bathing platform lights

Central dining area

Cockpit bar with refrigerator, sink, hot and cold water, insulated coolbox

Companion seating to helm

Drinks holders

Engine bay access hatch with stainless steel pneumatic support struts, independent of the tender garage

Fender stowage

Glove locker

Manual bilge pump(s)

Refrigerated coolbox to cockpit bar

Stainless steel handrails  
Stowage lockers under cockpit seats  
Teak-laid floor throughout self-draining cockpit  
Warning light and audible alarm during garage door operation  
Warp lockers

## **MAIN SALOON**

Access to day heads  
Aerial and connections for television  
Bar unit  
Control panel for 12v/24v/240v domestic electrical circuits  
Cocktail table converts to dining table with additional stools  
Deck hatch with flyscreen and blind  
DVD/CD/radio with 2 speakers in saloon and 2 waterproof speakers in cockpit  
Full-height standing headroom  
Handrail  
Halogen ceiling lights  
LCD TV  
Lockers (overhead)  
Mood lighting  
Sliding door to cockpit with integral blind system  
Sofa  
Stainless steel opening porthole(s) with flyscreen  
Stowage lockers under dinette seating  
Underfloor stowage hold

## **GALLEY**

Crockery stowage  
Electric ceramic/halogen hob  
Extractor fan  
Work surface with covers  
Halogen ceiling lights  
Integrated waste bin  
Lacquered cupboard doors  
Lockers (overhead)  
Microwave oven  
Random teak floor  
Refrigerator 4.6cu.ft. (130L) with automatic 12v/240v change-over  
Stainless steel opening porthole(s) with flyscreen  
Twin sinks with hot and cold mixer tap  
Towel rail  
Work surface lights

## **MASTER CABIN**

Access to en suite bathroom  
Bedside stowage  
Drawer(s) under bed  
Dressing table with vanity stowage  
Full-height standing headroom  
Halogen ceiling lights  
Large hatch with flyscreen and concealed blinds to foredeck  
Lockers (overhead)  
Mirror  
Moulded stowage locker under hinged bedboard  
Oversized double bed  
Stainless steel opening porthole(s) with flyscreen  
Upholstered bedhead  
Wardrobe(s)

### **MASTER EN SUITE BATHROOM**

220v/240v shaving point  
Automatic shower tray pump-out system  
Electric silent-flush freshwater toilet  
Extractor fan  
Avonite vanity unit locker and basin with hot and cold pressurised water  
Full standing height circular shower with rotating screen  
Halogen ceiling lights  
Mirror  
Stainless steel opening porthole(s) with flyscreen

### **STARBOARD GUEST CABIN**

Bedside stowage  
Drawer(s) under bed  
Full length berths x 2  
Halogen ceiling lights  
Mirror  
Stainless steel opening porthole(s) with flyscreen  
Upholstered bedheads  
Wardrobe(s)

### **PORT GUEST CABIN**

Bedside stowage  
Drawer(s) under bed  
Full length berths x 2  
Halogen ceiling lights  
Mirror  
Stainless steel opening porthole(s) with flyscreen

12/15/2025

FAIRLINE TARGA 52 GRAN TURISMO

Upholstered bedheads  
Wardrobe(s)

## **SHOWER/WC COMPARTMENT**

220v/240v shaving point  
Automatic shower tray pump-out system  
Electric silent-flush freshwater toilet  
Avonite vanity unit locker and basin with hot and cold pressurised water  
Full set of bathroom fittings  
Full standing height circular shower with rotating screen  
Mirror  
Stainless steel opening porthole(s) with flyscreen

## **ELECTRICAL SYSTEMS**

All 240v, 24v and 12v circuits (where applicable) protected by circuit breakers with main electrical load control panel  
Electrical sockets  
Heavy duty circuit breakers  
Isolating switches to all batteries  
Onan generator 7kVA

### **24 VOLT:**

Batteries - 2 x 180Ah exclusively for starboard engine starting  
Batteries - 4 x 180Ah wired in parallel supplying domestic services and port engine starting  
Circuit breaker 80amp for anchor winch  
Circuit breaker for bowthruster 300amp  
Emergency battery coupling system permits each engine to start from opposite engine battery bank

### **240 VOLT:**

Polarity check and earth leakage protection system  
Regulated 75amp charger for domestic batteries

## **ENGINES AND STERNGEAR**

Aerodynamically designed engine air intakes  
Automatic bilge pumps for forward bilge, engine bay and rudder bay with manual 'on' override  
Automatic engine bay fire extinguisher system  
Balanced rudders  
Cathodic protection  
Dripless shaft seals



Electro-hydraulic trim tabs with cathodic protection  
Engine room soundproofing  
Electric engine bay fan(s)  
Engine bay lights  
Exhaust overheat warning system  
High capacity emergency manual bilge pump system with changeover valves  
Manganese bronze 'P' brackets  
Manganese bronze propellers contra-rotating  
Sea cocks on all inlets/outlets below waterline  
Stainless steel alloy shafts  
Water cooled through-hull engine silencers

## **FUEL SYSTEM**

Changeover valve system to permit each engine to draw fuel from, and return fuel to, either tank  
Emergency fuel shut-off valves  
High capacity water separators and fuel filters  
Individual fillers and vents to port and starboard  
Marine grade alloy fuel tanks x 2

## **FRESHWATER SYSTEM**

Automatic, pressurised supply  
Calorifier hot water system  
Water tank(s)

12/15/2025

FAIRLINE TARGA 52 GRAN TURISMO





12/15/2025

FAIRLINE TARGA 52 GRAN TURISMO





12/15/2025

FAIRLINE TARGA 52 GRAN TURISMO





12/15/2025

FAIRLINE TARGA 52 GRAN TURISMO





12/15/2025

FAIRLINE TARGA 52 GRAN TURISMO





12/15/2025

FAIRLINE TARGA 52 GRAN TURISMO





12/15/2025

FAIRLINE TARGA 52 GRAN TURISMO





## DISCLAIMER

Whilst every care has been taken in the preparation of these particulars, their accuracy is not guaranteed. They are intended as guides only and as such do not constitute a part of any contract. A prospective purchaser is advised to check all particulars and where appropriate and at his own expense to employ a qualified marine surveyor to carry out a survey and/or to have an engine trial conducted, which if conducted by us shall not imply any liability on our part. All dimensions, performance figures & range notes given are approximate and should be treated as a guide only. Pictures may be from a brochure or of a similar vessel. Engine hours shown are correct at the time of preparation of the particulars, but will vary with usage. Availability of specific vessels may be subject to change, we therefore recommend you call for confirmation. N.B. Ribs, dinghies, water toys and out-board engines are not included in the sale unless other wise stated.

+44 (0) 1305 766 504

SALES@JDYACHTS.COM

© JD YACHTS 2002 - 2025. ALL RIGHTS RESERVED.