JYACHTS.

JD Yachts 80 The Esplanade Weymouth Dorset United Kingdom DT4 7AA

Tel: +44 (0)1305 766 504 sales@jdyachts.com



FAIRLINE SQUADRON 65

GBP 1,495,950 INC TAX

MAIN CHARACTERISTICS

Year: 2018

Hull Colours: White

Lying: Menorca, Spain

Engine(s): 2 x 1150 HP Diesel Caterpillar C18

Hours: 264

Length: 20.41 m / 66' 12"

Beam: 5.240 m / 17' 2"

Draft: 1.370 m / 4' 6"

Weight: 40 tons

Fuel Capacity: 3542 litres / 778 gallons

Water Capacity: 1074 litres / 236 gallons

Accommodation: 8 berths in 4 cabins

EXTRAS

- 19" TV with Fusion RA205 and wireless connectivity to crew cabin
- 2 x Garmin GPSmap 8012 (12") touchscreens to upper helm
- 22" TV with Fusion RA205 and wireless connectivity to all 3 guest cabins
- 3.5m letterbox style passerelle
- 3rd helm station wander lead
- 40" TV to saloon with Harman Kardon system
- · Aft crew cabin fit out including air conditioning
- Aft deck capstans
- Anchoring upgrade pack
- Audio upgrade to Bose
- Blue/white underwater lights
- · Bow seating including lighting, AV & speakers, carbon poles and sunshade
- Ceiling grab rails to cockpit & saloon
- Cockpit table
- Cool box to cockpit
- · Copper coat antifouling to hull in lieu of standard antifouling
- Cushion for on top of crew cabin hatch
- Diamond stitching to cockpit, flybridge and bow seating areas
- · Dimmers to cockpit and flybridge lighting
- Dishwasher to galley
- Drinks holders on flybridge 2 either side of helm & 1 between helm seats
- Element 7" walnut wood floor to saloon, galley, stairs & lower companionway
- Extra gas strut to crew cabin door
- Full electric helm and co-pilot seats
- Garmin GPSmap 8012 (12") touchscreen upgrade to lower helm
- GRP hardtop with electric canvas roof panel
- High capacity air-conditioning (includes 22.5kW generator)
- Hydraulic bow and stern thrusters
- Invertor & breakers
- New 2018 hull windows & extended bathing platform (300mm)
- Replace hatch in crew cabin ensuite with door to storage area
- Safe with digital keypad
- Seakeeper NG9 gyroscopic stabilisers
- Sonihull fitted to engine room and bow area on separate fused spurs
- · Taupe helm gel coat to match Taupe seating
- Teak laid flybridge flooring
- Teak laid side decks
- Wardrobe behind master cabin door
- Washer/dryer to lobby
- Water maker with control to galley
- · White interior mood lighting
- · White LED side deck illumination and mood lighting to exterior
- · Williams 385 with chocks and pad eyes
- Wine cooler to portside stair cupboards (1st cupboard)

STANDARD SPECIFICATION

DECK

Anchor chain locker

Anchor winch controls

Calibrated anchor chain

Cushions for forward sundeck

Deck wash outlets

External covers to windscreen

Fender set

Fender stowage

Full set of IMCO navigation lights

Hot and cold water transom shower

Moulded non-slip deck surface

Recessed self-draining area on foredeck for coachroof sun cushions

Riding light

Rigid swim ladder to bathing platform

Rubbing strake

Self-stowing Delta® anchor

Stainless steel bow, spring and stern cleats

Stainless steel bow fairlead(s)

Stainless steel grab rail(s) on each transom wing

Stainless steel handrails

Stainless steel pulpit

Starboard side access door

Teak laid bathing platform

Transom gate from cockpit to hi/lo bathing platform

Twin horns

Water filler(s)

Windscreen washers

FLYBRIDGE AND SECOND HELM POSITION

12V heavy duty weatherproof socket

Adjustable/tilt steering wheel

Adjustable bolstered helm seating

Bilge pump switches with integral operating warning lights and audible alarms

Bow thruster controls

Chaise Longue on port and starboard side with adjustable backrest

Companion seating to helm

Day beds

Dedicated dining seating with large dining table

Drinks holders

Echosounder and speedometer/distance log repeater(s) with sea water temperature read out

Electronic single-lever throttle and gear controls for port and starboard engines

Flybridge access hatch

Flybridge bar with refrigerator, icemaker, sink and electric griddle

Furniture covers

Helm position indicator

High speed magnetic compass

Instrument covers

Large sunbathing area forward of helm position with non-absorbent foam-filled cushions

MP3 connector with 100w amplifier

Moulded non-slip deck surface

Powered steering

Radar arch/mast

Remote anchor winch controls

Remote control searchlight with controls at both helm stations

Repeat autopilot controls

Repeat flybridge engine instrumentation, controls and electronics

Stainless steel handrails

Storage unit housing waste bin

Teak laid oversize flybridge steps

Teak table

Trim tab controls

VHF radio incorporating intercom

Waterproof speakers

Wind-deflecting screen with grab rail

MAIN HELM POSITION

12V socket

Access to deck via side door

Adjustable/tilt steering wheel

Bilge pump switches with integral operating warning lights and audible alarms

Bow thruster controls

Chart table and light

Controls for engine bay fire extinguisher system

Drinks holders

Electronic single-lever throttle and gear controls for port and starboard engines

Foghorn with siren and loudhailer facility

Fuel gauges

Full engine instrumentation including; tachometers, oil pressure gauges, temperature gauges,

battery condition indicators, audible alarms and engine hour meters

Garmin GHC 20 autopilot system with colour display

Garmin GMI 20 digital multi-function instrument system with colour display

Garmin GMR 404 Open Array Radar (4ft, 4kW)

Garmin GPS 17x Antenna

Garmin GPSmap 6012 (12") Display

Garmin VHF 300i marine radio

Helm position indicator

High speed magnetic compass

Mood lighting

Powered steering

Random teak floor

Red night-light illumination to helm

Remote anchor winch controls

Searchlight controls

Seat base stowage

Trim tab controls

Twin independent helm and co-pilot seats

ELECTRICAL SYSTEMS

230 - 240V 50Hz

All 240V, 24V and 12V circuits (where applicable) protected by circuit breakers with main electrical

load control panel

Dimmer switches

Fire shutdown system

Heavy duty circuit breakers

Isolating switches to all batteries

Onan generator 17.5kW

12 Volt

Voltage dropper from domestic batteries

24 Volt

Batteries - 2 x heavy duty batteries exclusively for port engine starting

Batteries - 2 x heavy duty batteries exclusively for starboard engine starting

Batteries - 4 x heavy duty batteries wired in parallel supply for domestic services and port engine starting

Emergency battery coupling system permits each engine to start from opposite battery bank

240 Volt

Polarity check and earth leakage protection system

Power points throughout the boat (fed from shore power or generator)

Regulated 75amp charger for domestic batteries

Shore power supply

Spare circuit breakers for optional equipment

AFT COCKPIT/TRANSOM

3 stage opening aft door

12V heavy duty weatherproof socket

Access hatch to engine room and lazarette

Access hatch to optional aft crew cabin

Aft cockpit enclosure covers

Bathing platform lights

Blue LED lighting to cockpit

Boat hook

Flybridge access hatch

Life raft stowage

Manual bilge pump(s)

Mooring warps
Overhead handrail
Teak laid floor throughout self-draining cockpit
Teak table with 2 folding chairs
Warp lockers
White cockpit overhead lights

HULLFORM AND CONSTRUCTION

All gel coat and glass fibre hand laid with unidirectional, biaxial and woven rovings

Bow thruster

Deep 'V' forward; 18° deadrise aft

Design, layout and detailing by the Fairline Design Team. Naval architecture and structural

engineering by Bernard Olesinski Full length moulded spray deflectors

Holding tank(s) with electric pump

Hull/deck join bolted and bonded

Hydraulic hi/lo bathing platform for tender launching and recovery

Integrally moulded engine bearers

Isophthalic gel coat backed by isophthalic resin-rich powder-bound glass mat

The deck incorporates polyurethane foam cores for high strength and excellent thermal insulation

The propellers are set in semi-tunnels enabling the engines to be located further aft, also reducing draught and improving efficiency by reducing the shaft angle

Thermal insulation to forward cabin and upper deck roof space

Transverse frames and longitudinal stringers throughout hull

MAIN SALOON

32" TV with Harman Kardon® entertainment system and wireless connectivity Drinks cabinets complete with 6 'Squadron' engraved lead crystal tumblers Gold bullion venetian blinds

Handrail

LED ceiling lights

Power lift TV feature

Sideboard

Sliding door to cockpit

Sofa with storage lockers

DINETTE

2 cube stools
Dining seating for 6
Dining table with fold-out leaf
Gold bullion venetian blinds

GALLEY

Avonite® work surface with covers

Combination oven/microwave

Crockery stowage

Electric induction hob

Extractor fan

Freezer

Integrated waste bin

LED ceiling lights

Powerdrop window

Random teak floor

Refrigerator

Stowage cupboards and drawers

Timber cupboard doors

Twin sinks with hot and cold mixer tap

Work surface lights

MASTER STATEROOM

32" TV with Fusion AV700 DVD/radio and wireless connectivity

Double bed with interior sprung mattress

Drawer(s) under bed

Feature windows with opening portholes

Full-height standing headroom

Full length mirror

Full set of Heirlooms fine bed linen (includes pillows and duvet)

Gold bullion venetian blinds

LED ceiling lights

Reading lights

Twin bedside tables

Upholstered bedhead

Vanity unit/bureau with chair

Wardrobe with cedar linings

MASTER EN SUITE

220V/240V shaving point

Automatic shower tray pump-out system

Avonite® vanity unit with locker and twin basins with hot and cold pressurised water

Electric silent-flush freshwater toilet

Extractor fan

Feature windows with opening portholes

Full set of bathroom fittings

Full standing height shower with hinged door

Glass partition with venetian blinds

Gold bullion venetian blinds

LED ceiling lights Lockers (overhead) Mirror Random teak floor Towel rail

FORWARD STATEROOM

Bedside stowage

Double bed with interior sprung mattress

Feature windows with opening portholes

Full-height standing headroom

Full length mirror

Full set of Heirlooms fine bed linen (includes pillows and duvet)

Gold bullion venetian blinds

LED ceiling lights

Large hatch with flyscreen and concealed blinds to foredeck

Reading lights

Skylight with electric blinds

Upholstered bedhead

Wardrobe(s)

FORWARD EN SUITE

220V/240V shaving point

Automatic shower tray pump-out system

Avonite® vanity unit with locker and basin with hot and cold pressurised water

Electric silent-flush freshwater toilet

Extractor fan

Feature window with opening porthole

Full set of bathroom fittings

Full standing height shower with hinged door

Mirror

Random teak floor

Stowage locker

Towel rail

STARBOARD GUEST CABIN

Bedside stowage

Drawer(s) under bed

Feature windows with opening porthole

Full length berths x 2 with high-comfort interior sprung mattresses

Full length mirror

Full set of Heirlooms fine bed linen (includes pillows and duvet)

Gold bullion venetian blinds

Hanging locker with mirror LED ceiling lights Lockers (mid-level Reading lights Wardrobe

PORT GUEST CABIN

Full length bunks x 2 with high-comfort interior sprung mattresses Full length mirror
Full set of Heirlooms fine bed linen (includes pillows and duvet)
Gold bullion venetian blinds
LED ceiling lights
Opening porthole

Reading lights Wardrobe

GUEST CABIN EN SUITE

220V/240V shaving point

Automatic shower tray pump-out system

Avonite® vanity unit with locker and basin with hot and cold pressurised water

Electric silent-flush freshwater toilet

Extractor fan

Feature window with opening porthole

Frosted porthole

Full set of bathroom fittings

Full standing height shower with hinged door

Mirror

Random teak floor

Stowage locker

Towel rail

ENGINES AND STERNGEAR

Access through cockpit hatch

Aerodynamically designed engine air intakes

Automatic bilge pumps for forward bilge, engine bay and rudder bay with manual 'on' override

Automatic engine bay fire extinguisher system with warnings at both helms

Bow thruster

Dripless shaft seals

Electric engine bay fan(s)

Electric trim tabs with cathodic protection

Engine bay lights

Engine room soundproofing

Exhaust overheat warning system

High capacity emergency manual bilge pump system with changeover valves High corrosion-resistant TEMET shafts
Manganese bronze 'P' brackets
Manganese bronze propellers contra-rotating
Sea cocks on all inlets/outlets below waterline
Water cooled engine exhausts with through hull outlets

FUEL SYSTEM

Fuel balance pipe
High capacity water separators and fuel filters with audible alarms at lower helm
Individual fillers and vents to port and starboard
Marine grade alloy fuel tanks x 2

FRESHWATER SYSTEM

Automatic, pressurised supply
Calorifier hot water system
Manual override switch at lower helm
Water tank(s)
Waste Water System
Holding tank(s) with electric pump
Air Conditioning and Heating Systems
Screen demist vents linked to air conditioning

AFT CREW CABIN

220V/240V shaving point
Access to en suite bathroom
Aft crew cabin access from cockpit with stairs
Air conditioning
Aluminium opening porthole(s) with flyscreen
Electric silent-flush freshwater toilet
Full set of Heirlooms fine bed linen (includes pillows and duvet)
Full standing height shower with hinged floor tray

LED ceiling lights

Mirror

One fold-up berth and one fixed berth with drawers

Power point(s)

Random teak floor

Shower proof curtains

Sink with hot and cold mixer tap

































































DISCLAIMER

Whilst every care has been taken in the preparation of these particulars, their accuracy is not guaranteed. They are intended as guides only and as such do not constitute a part of any contract. A prospective purchaser is advised to check all particulars and where appropriate and at his own expense to employ a qualified marine surveyor to carry out a survey and/or to have an engine trial conducted, which if conducted by us shall not imply any liability on our part. All dimensions, performance figures & range notes given are approximate and should be treated as a guide only. Pictures may be from a brochure or of a similar vessel. Engine hours shown are correct at the time of preparation of the particulars, but will vary with usage. Availability of specific vessels may be subject to change, we therefore recommend you call for confirmation. N.B. Ribs, dinghies, water toys and out-board engines are not included in the sale unless other wise stated.

+44 (0) 1305 766 504 SALES@JDYACHTS.COM © JD YACHTS 2002 - 2024. ALL RIGHTS RESERVED.



