JYACHTS.

JD Yachts 80 The Esplanade Weymouth Dorset United Kingdom DT4 7AA

Tel: +44 (0)1305 766 504 sales@jdyachts.com



FAIRLINE PHANTOM 48 BETELGEUSE

GBP 439,950 INC TAX

MAIN CHARACTERISTICS

Year: 2009

Hull Colours: White

Lying: Torquay, UK

Engine(s): 2 x 575 HP Diesel Volvo Penta D9-575 EVC

Hours: 310

Length: 15.25 m / 50' 0"

Beam: 4.460 m / 14' 8"

Draft: 1.120 m / 3' 8"

Weight: 17 tons

Fuel Capacity: 1664 litres / 366 gallons

Water Capacity: 500 litres / 110 gallons

Accommodation: 6 berths in 3 cabins

EXTRAS

- Air Conditioning Throughout
- Blue Mood Lights to Cockpit
- Dockmate 'Twist' Proportional System (New 2021)
- Flybridge Bimini
- Flybridge Wetbar with Grill, Sink & Fridge
- Hydraulic Passarelle
- JVC Sound System
- Mastervolt Inverter
- Onan Generator 7Kva
- Raymarine AIS 700 (New 2021)
- Raymarine Axiom Pro 12 Multifunction 12" Display to Both Helms (New 2021)
- Raymarine DST810 0 Degree Depth, Speed, Temperature Transduced (New 2021)
- Raymarine Evolution Authpilot (New 2021)
- Raymarine i70 Multifunction Colour Displays to Both Helms (New 2021)
- Raymarine Quantum 18" Radar (New 2021)
- Satellite TV
- Sharp Combi Microwave
- SidePower Propotional Bow Thruster 120kg (New 2021)
- SidePower Propotional Stern Thruster 100kg (New 2021)
- Silent Electric Flush toilets
- Solid Oak Flooring in Saloon
- Teak Laid Bathing Platform
- Teak Laid Cockpit
- Teak Laid Flybridge
- Upgraded Domestic 88L Cool Box & Freezer (New 2021)
- Washer/ Dryer

STANDARD SPECIFICATION

HULLFORM AND CONSTRUCTION

All gel coat and glass fibre hand laid with unidirectional, biaxial and woven rovings

Deep 'V' forward; 18° deadrise aft

Design, layout and detailing by the Fairline Design Team. Naval architecture and structural

engineering by Bernard Olesinski

Full length moulded spray deflectors

Hull/deck join bolted and bonded

Integrally moulded engine bearers

Isophthalic gel coat backed by isophthalic resin-rich powder-bound glass mat

The deck incorporates polyurethane foam cores for high strength and excellent thermal insulation

The integral bathing platform gives the boat a longer waterline length for improved performance, particularly at reduced power settings

The propellers are set in semi-tunnels enabling the engines to be located further aft, also reducing draught and improving efficiency by reducing the shaft angle

Transverse and longitudinal strengthening stringers throughout hull

DECK

Anchor chain locker

Anchor winch (electric)

Anchor winch controls

Calibrated anchor chain

External covers to windscreen

Full set of IMCO navigation lights

Hot and cold water transom shower

Moulded non-slip deck surface

Recessed self-draining area on foredeck for coachroof sun cushions

Riding light

Rubbing strake

Self-stowing through-hull Delta® anchor

Stainless steel bow, spring and stern cleats

Stainless steel bow fairlead(s)

Stainless steel grab rail(s) on each transom wing

Stainless steel handrails

Stainless steel hull protection plate under bow

Stainless steel pulpit

Teak laid bathing platform

Telescopic boarding ladder to bathing platform

Toughened glass curved windscreen

Transom gate from cockpit to integral bathing platform

Twin horns

Water filler(s)

Windscreen washers

Windscreen wipers

FLYBRIDGE AND SECOND HELM POSITION

12v heavy duty weatherproof socket

Access hatch

Acrylic dodgers

Adjustable/tilt steering wheel

Adjustable bolstered helm seating

Bilge pump warning lights and audible alarms

Bowthruster controls

Companion seating to helm

Drinks holders

Echosounder and speedometer/distance log repeater(s) with sea water temperature read out

Electronic single-lever throttle and gear controls for port and starboard engines

Flybridge bar with sink and refrigerator

Helm position indicator

High speed magnetic compass

Instrument covers

Moulded non-slip deck surface

Powered steering

Remote anchor winch controls

Remote control searchlight with controls at both helm stations

Repeat autopilot controls

Repeat engine bay fire extinguisher controls

Repeat flybridge engine instrumentation, controls and electronics

Stainless steel handrails

Teak laid oversize flybridge steps

Trim tab controls

Upholstered seating area with table, convertible to cushioned sunbathing area

VHF radio telephone incorporating intercom

Wind-deflecting screen with grab rail

AFT COCKPIT/TRANSOM

12v heavy duty weatherproof socket

Access hatch to engine room

Aft cockpit enclosure covers

Bathing platform lights

Cockpit lights

Dedicated aft cabin access separate from cushioned rear seating

Emergency fuel shut-off valves

Engine bay access hatch with stainless steel pneumatic support struts

Engine bay fire extinguisher control

Manual bilge pump(s)

Stainless steel framed sliding door to main saloon

Teak laid floor throughout self-draining cockpit

Warp lockers

MAIN HELM POSITION

12v socket

Adjustable/tilt steering wheel

Adjustable air vents

Autopilot

Bilge pump switches with integral operating warning lights and audible alarms

Bolstered helm seat(s)

Bowthruster controls

Controls for engine bay fire extinguisher system

Electronic single-lever throttle and gear controls for port and starboard engines

Folding foot plinth

Fuel gauges

Full engine instrumentation including; tachometers, oil pressure gauges, temperature gauges,

battery condition indicators, audible alarms and engine hour meters

Helm position indicator

High speed magnetic compass

Mood lighting

Opening side window (manual)

Powered steering

Red night-light illumination to helm

Remote anchor winch controls

Searchlight controls

Switches for navigation and riding lights, windscreen wipers and engine bay extractor fans

Trim tab controls

MAIN SALOON

Aerial and connections for television

Cocktail table converts electrically to dining table

Freestanding 2 seat sofa

Full-height standing headroom

Halogen ceiling lights

Handrail

Sideboard to port housing LCD TV, DVD/CD/Radio and optional refrigerator

Sofa

GALLEY

Crockery stowage in sideboard

Electric ceramic/halogen hob

Extractor fan

Foundations® work surface with covers

Halogen ceiling lights

Integrated waste bin

Lacquered cupboard doors

Microwave oven

Refrigerator with integral icebox with automatic 24v/240v changeover Sink with hot and cold mixer tap Underfloor stowage hold or optional freezer Work surface lights

MASTER STATEROOM

Access to AC/DC distribution panel

Access to en suite bathroom

Drawers to starboard with optional LCD television

Full-height standing headroom

Full width master stateroom with triple portrait feature windows - port and starboard

Halogen ceiling lights

Mirror

Oversized double bed

Reading lights

Twin bedside tables

Upholstered bedhead

Wardrobe(s)

MASTER EN SUITE BATHROOM

220v/240v shaving point

Automatic shower tray pump-out system

Electric silent-flush freshwater toilet

Extractor fan

Avonite® vanity unit locker and basin with hot and cold pressurised water

Full set of bathroom fittings

Full standing height shower with solid teak gratings and hinged door

Halogen ceiling lights

Lockers (overhead)

Mirror

Stainless steel opening porthole(s) with flyscreen

FORWARD STATEROOM

Access to en suite bathroom

Bedside stowage

Drawer(s) under bed with integrated linen box

Halogen ceiling lights

Large hatch(es) with flyscreen and concealed blinds to foredeck

Lockers (overhead)

Mirror

Oversized double bed

Reading lights

Stainless steel opening porthole(s) with flyscreen

Wardrobe(s)

STARBOARD GUEST CABIN

Bedside stowage

Full length pullman berths to upper and lower bunks to provide maximum cabin flexibility

Halogen ceiling lights

Mirror

Reading lights

Stainless steel opening porthole(s) with flyscreen

Wardrobe(s)

SHOWER/ HEAD COMPARTMENTS

220v/240v shaving point

Automatic shower tray pump-out system

Electric silent-flush freshwater toilet

Extractor fan

Foundations® or Avonite® vanity unit locker and basin with hot and cold pressurised water

Full set of bathroom fittings

Full standing height shower with solid teak gratings and hinged door

Halogen ceiling lights

Lockers (overhead)

Mirror

Stainless steel opening porthole(s) with flyscreen

ELECTRICAL SYSTEMS

All 240v, 24v and 12v circuits (where applicable) protected by circuit breakers with main electrical load control panel

Battery isolating switches

Heavy duty circuit breakers

Isolating switches to all batteries

Onan generator 7kVA

24 Volt:

Batteries - 2 x 180Ah 'sealed for life' for domestic supply

Batteries - 4 x 180Ah 'sealed for life' for engine starting

240 Volt:

Polarity check and earth leakage protection system

Regulated battery charger 100amp for all batteries

Shore power supply

ENGINES AND STERNGEAR

Access through cockpit hatch

Aerodynamically designed engine air intakes

Automatic bilge pumps for forward bilge, engine bay and rudder bay with manual 'on' override Automatic engine bay fire extinguisher system

Balanced rudders

Cathodic protection

Dripless shaft seals

Electric engine bay fan(s)

Electric trim tabs with cathodic protection

Engine bay lights

Engine room soundproofing

Exhaust overheat warning system

High capacity emergency manual bilge pump system with changeover valves

High corrosion-resistant TEMET shafts

Manganese bronze 'P' brackets

Manganese bronze propellers contra-rotating

Sea cocks on all inlets/outlets below waterline

Water cooled through-hull engine silencers

FUEL SYSTEM

Changeover valve system to permit each engine to draw fuel from, and return fuel to, either tank Emergency fuel shut-off valves accessible via cable-operated remote control Fuel filler splash stop and anti-foaming device High capacity water separators and fuel filters Individual fillers and vents to port and starboard Marine grade alloy fuel tanks x 2

FRESHWATER SYSTEM

Automatic, pressurised supply Calorifier hot water system Water tank(s)

OWNER COMMENTS

Antifouled and polished - January 2024 New anodes - January 2024 Engines Serviced - November 2023 Generator Serviced - November 2023



















































FAIRLINE PHANTOM 48 BETELGEUSE








































































































DISCLAIMER

Whilst every care has been taken in the preparation of these particulars, their accuracy is not guaranteed. They are intended as guides only and as such do not constitute a part of any contract. A prospective purchaser is advised to check all particulars and where appropriate and at his own expense to employ a qualified marine surveyor to carry out a survey and/or to have an engine trial conducted, which if conducted by us shall not imply any liability on our part. All dimensions, performance figures & range notes given are approximate and should be treated as a guide only. Pictures may be from a brochure or of a similar vessel. Engine hours shown are correct at the time of preparation of the particulars, but will vary with usage. Availability of specific vessels may be subject to change, we therefore recommend you call for confirmation. N.B. Ribs, dinghies, water toys and out-board engines are not included in the sale unless other wise stated.

+44 (0) 1305 766 504 SALES@JDYACHTS.COM © JD YACHTS 2002 - 2024. ALL RIGHTS RESERVED.



