

12/16/2025

FAIRLINE SQUADRON 65 KALAMARDA 3

JD YACHTS.

JD Yachts
80 The Esplanade
Weymouth
Dorset
United Kingdom
DT4 7AA
Tel: +44 (0)1305 766 504
sales@jdyachts.com



FAIRLINE SQUADRON 65

KALAMARDA 3

GBP 1,395,995 INC TAX

MAIN CHARACTERISTICS

Year:	2018
Hull Colours:	White
Lying:	Menorca, Spain
Engine(s):	2 x 1150 HP Diesel Caterpillar C18
Hours:	264
Length:	20.41 m / 66' 12"
Beam:	5.240 m / 17' 2"
Draft:	1.370 m / 4' 6"
Weight:	40 tons
Fuel Capacity:	3542 litres / 778 gallons
Water Capacity:	1074 litres / 236 gallons
Accommodation:	8 berths in 4 cabins

EXTRAS

- 19" TV with Fusion RA205 and wireless connectivity to crew cabin
- 2 x Garmin GPSmap 8012 (12") touchscreens to upper helm
- 22" TV with Fusion RA205 and wireless connectivity to all 3 guest cabins
- 3.5m letterbox style passerelle
- 3rd helm station - wander lead
- 40" TV to saloon with Harman Kardon system
- Aft crew cabin fit out including air conditioning
- Aft deck capstans
- Anchoring upgrade pack
- Audio upgrade to Bose
- Blue/white underwater lights
- Bow seating including lighting, AV & speakers, carbon poles and sunshade
- Ceiling grab rails to cockpit & saloon
- Cockpit table
- Cool box to cockpit
- Copper coat antifouling to hull in lieu of standard antifouling
- Cushion for on top of crew cabin hatch
- Diamond stitching to cockpit, flybridge and bow seating areas
- Dimmers to cockpit and flybridge lighting
- Dishwasher to galley
- Drinks holders on flybridge - 2 either side of helm & 1 between helm seats
- Element 7" walnut wood floor to saloon, galley, stairs & lower companionway
- Extra gas strut to crew cabin door
- Full electric helm and co-pilot seats
- Garmin GPSmap 8012 (12") touchscreen upgrade to lower helm
- GRP hardtop with electric canvas roof panel
- High capacity air-conditioning (includes 22.5kW generator)
- Hydraulic bow and stern thrusters
- Inverter & breakers
- New 2018 hull windows & extended bathing platform (300mm)
- Replace hatch in crew cabin ensuite with door to storage area
- Safe with digital keypad
- Seakeeper NG9 gyroscopic stabilisers
- Sonihull fitted to engine room and bow area on separate fused spurs
- Taupe helm gel coat to match Taupe seating
- Teak laid flybridge flooring
- Teak laid side decks
- Wardrobe behind master cabin door
- Washer/dryer to lobby
- Water maker with control to galley
- White interior mood lighting
- White LED side deck illumination and mood lighting to exterior
- Williams 385 with chocks and pad eyes
- Wine cooler to portside stair cupboards (1st cupboard)

STANDARD SPECIFICATION

DECK

Anchor chain locker
Anchor winch controls
Calibrated anchor chain
Cushions for forward sundeck
Deck wash outlets
External covers to windscreen
Fender set
Fender stowage
Full set of IMCO navigation lights
Hot and cold water transom shower
Moulded non-slip deck surface
Recessed self-draining area on foredeck for coachroof sun cushions
Riding light
Rigid swim ladder to bathing platform
Rubbing strake
Self-stowing Delta® anchor
Stainless steel bow, spring and stern cleats
Stainless steel bow fairlead(s)
Stainless steel grab rail(s) on each transom wing
Stainless steel handrails
Stainless steel pulpit
Starboard side access door
Teak laid bathing platform
Transom gate from cockpit to hi/lo bathing platform
Twin horns
Water filler(s)
Windscreen washers

FLYBRIDGE AND SECOND HELM POSITION

12V heavy duty weatherproof socket
Adjustable/tilt steering wheel
Adjustable bolstered helm seating
Bilge pump switches with integral operating warning lights and audible alarms
Bow thruster controls
Chaise Longue on port and starboard side with adjustable backrest
Companion seating to helm
Day beds
Dedicated dining seating with large dining table
Drinks holders
Echosounder and speedometer/distance log repeater(s) with sea water temperature read out
Electronic single-lever throttle and gear controls for port and starboard engines
Flybridge access hatch

Flybridge bar with refrigerator, icemaker, sink and electric griddle
Furniture covers
Helm position indicator
High speed magnetic compass
Instrument covers
Large sunbathing area forward of helm position with non-absorbent foam-filled cushions
MP3 connector with 100w amplifier
Moulded non-slip deck surface
Powered steering
Radar arch/mast
Remote anchor winch controls
Remote control searchlight with controls at both helm stations
Repeat autopilot controls
Repeat flybridge engine instrumentation, controls and electronics
Stainless steel handrails
Storage unit housing waste bin
Teak laid oversize flybridge steps
Teak table
Trim tab controls
VHF radio incorporating intercom
Waterproof speakers
Wind-deflecting screen with grab rail

MAIN HELM POSITION

12V socket
Access to deck via side door
Adjustable/tilt steering wheel
Bilge pump switches with integral operating warning lights and audible alarms
Bow thruster controls
Chart table and light
Controls for engine bay fire extinguisher system
Drinks holders
Electronic single-lever throttle and gear controls for port and starboard engines
Foghorn with siren and loudhailer facility
Fuel gauges
Full engine instrumentation including; tachometers, oil pressure gauges, temperature gauges, battery condition indicators, audible alarms and engine hour meters
Garmin GHC 20 autopilot system with colour display
Garmin GMI 20 digital multi-function instrument system with colour display
Garmin GMR 404 Open Array Radar (4ft, 4kW)
Garmin GPS 17x Antenna
Garmin GPSmap 6012 (12") Display
Garmin VHF 300i marine radio
Helm position indicator
High speed magnetic compass
Mood lighting

Powered steering
Random teak floor
Red night-light illumination to helm
Remote anchor winch controls
Searchlight controls
Seat base stowage
Trim tab controls
Twin independent helm and co-pilot seats

ELECTRICAL SYSTEMS

230 - 240V 50Hz
All 240V, 24V and 12V circuits (where applicable) protected by circuit breakers with main electrical load control panel
Dimmer switches
Fire shutdown system
Heavy duty circuit breakers
Isolating switches to all batteries
Onan generator 17.5kW
12 Volt
Voltage dropper from domestic batteries
24 Volt
Batteries - 2 x heavy duty batteries exclusively for port engine starting
Batteries - 2 x heavy duty batteries exclusively for starboard engine starting
Batteries - 4 x heavy duty batteries wired in parallel supply for domestic services and port engine starting
Emergency battery coupling system permits each engine to start from opposite battery bank
240 Volt
Polarity check and earth leakage protection system
Power points throughout the boat (fed from shore power or generator)
Regulated 75amp charger for domestic batteries
Shore power supply
Spare circuit breakers for optional equipment

AFT COCKPIT/TRANSOM

3 stage opening aft door
12V heavy duty weatherproof socket
Access hatch to engine room and lazarette
Access hatch to optional aft crew cabin
Aft cockpit enclosure covers
Bathing platform lights
Blue LED lighting to cockpit
Boat hook
Flybridge access hatch
Life raft stowage
Manual bilge pump(s)

Mooring warps
Overhead handrail
Teak laid floor throughout self-draining cockpit
Teak table with 2 folding chairs
Warp lockers
White cockpit overhead lights

HULLFORM AND CONSTRUCTION

All gel coat and glass fibre hand laid with unidirectional, biaxial and woven rovings
Bow thruster
Deep 'V' forward; 18° deadrise aft
Design, layout and detailing by the Fairline Design Team. Naval architecture and structural engineering by Bernard Olesinski
Full length moulded spray deflectors
Holding tank(s) with electric pump
Hull/deck join bolted and bonded
Hydraulic hi/lo bathing platform for tender launching and recovery
Integrally moulded engine bearers
Isophthalic gel coat backed by isophthalic resin-rich powder-bound glass mat
The deck incorporates polyurethane foam cores for high strength and excellent thermal insulation
The propellers are set in semi-tunnels enabling the engines to be located further aft, also reducing draught and improving efficiency by reducing the shaft angle
Thermal insulation to forward cabin and upper deck roof space
Transverse frames and longitudinal stringers throughout hull

MAIN SALOON

32" TV with Harman Kardon® entertainment system and wireless connectivity
Drinks cabinets complete with 6 'Squadron' engraved lead crystal tumblers
Gold bullion venetian blinds
Handrail
LED ceiling lights
Power lift TV feature
Sideboard
Sliding door to cockpit
Sofa with storage lockers

DINETTE

2 cube stools
Dining seating for 6
Dining table with fold-out leaf
Gold bullion venetian blinds

GALLEY

Avonite® work surface with covers
Combination oven/microwave
Crockery stowage
Electric induction hob
Extractor fan
Freezer
Integrated waste bin
LED ceiling lights
Powerdrop window
Random teak floor
Refrigerator
Stowage cupboards and drawers
Timber cupboard doors
Twin sinks with hot and cold mixer tap
Work surface lights

MASTER STATEROOM

32" TV with Fusion AV700 DVD/radio and wireless connectivity
Double bed with interior sprung mattress
Drawer(s) under bed
Feature windows with opening portholes
Full-height standing headroom
Full length mirror
Full set of Heirlooms fine bed linen (includes pillows and duvet)
Gold bullion venetian blinds
LED ceiling lights
Reading lights
Twin bedside tables
Upholstered bedhead
Vanity unit/bureau with chair
Wardrobe with cedar linings

MASTER EN SUITE

220V/240V shaving point
Automatic shower tray pump-out system
Avonite® vanity unit with locker and twin basins with hot and cold pressurised water
Electric silent-flush freshwater toilet
Extractor fan
Feature windows with opening portholes
Full set of bathroom fittings
Full standing height shower with hinged door
Glass partition with venetian blinds
Gold bullion venetian blinds

LED ceiling lights
Lockers (overhead)
Mirror
Random teak floor
Towel rail

FORWARD STATEROOM

Bedside stowage
Double bed with interior sprung mattress
Feature windows with opening portholes
Full-height standing headroom
Full length mirror
Full set of Heirlooms fine bed linen (includes pillows and duvet)
Gold bullion venetian blinds
LED ceiling lights
Large hatch with flyscreen and concealed blinds to foredeck
Reading lights
Skylight with electric blinds
Upholstered bedhead
Wardrobe(s)

FORWARD EN SUITE

220V/240V shaving point
Automatic shower tray pump-out system
Avonite® vanity unit with locker and basin with hot and cold pressurised water
Electric silent-flush freshwater toilet
Extractor fan
Feature window with opening porthole
Full set of bathroom fittings
Full standing height shower with hinged door
Mirror
Random teak floor
Stowage locker
Towel rail

STARBOARD GUEST CABIN

Bedside stowage
Drawer(s) under bed
Feature windows with opening porthole
Full length berths x 2 with high-comfort interior sprung mattresses
Full length mirror
Full set of Heirlooms fine bed linen (includes pillows and duvet)
Gold bullion venetian blinds

Hanging locker with mirror
LED ceiling lights
Lockers (mid-level
Reading lights
Wardrobe

PORT GUEST CABIN

Full length bunks x 2 with high-comfort interior sprung mattresses
Full length mirror
Full set of Heirlooms fine bed linen (includes pillows and duvet)
Gold bullion venetian blinds
LED ceiling lights
Opening porthole
Reading lights
Wardrobe

GUEST CABIN EN SUITE

220V/240V shaving point
Automatic shower tray pump-out system
Avonite® vanity unit with locker and basin with hot and cold pressurised water
Electric silent-flush freshwater toilet
Extractor fan
Feature window with opening porthole
Frosted porthole
Full set of bathroom fittings
Full standing height shower with hinged door
Mirror
Random teak floor
Stowage locker
Towel rail

ENGINES AND STERNGEAR

Access through cockpit hatch
Aerodynamically designed engine air intakes
Automatic bilge pumps for forward bilge, engine bay and rudder bay with manual 'on' override
Automatic engine bay fire extinguisher system with warnings at both helms
Bow thruster
Dripless shaft seals
Electric engine bay fan(s)
Electric trim tabs with cathodic protection
Engine bay lights
Engine room soundproofing
Exhaust overheat warning system

High capacity emergency manual bilge pump system with changeover valves
High corrosion-resistant TEMET shafts
Manganese bronze 'P' brackets
Manganese bronze propellers contra-rotating
Sea cocks on all inlets/outlets below waterline
Water cooled engine exhausts with through hull outlets

FUEL SYSTEM

Fuel balance pipe
High capacity water separators and fuel filters with audible alarms at lower helm
Individual fillers and vents to port and starboard
Marine grade alloy fuel tanks x 2

FRESHWATER SYSTEM

Automatic, pressurised supply
Calorifier hot water system
Manual override switch at lower helm
Water tank(s)
Waste Water System
Holding tank(s) with electric pump
Air Conditioning and Heating Systems
Screen demist vents linked to air conditioning

AFT CREW CABIN

220V/240V shaving point
Access to en suite bathroom
Aft crew cabin access from cockpit with stairs
Air conditioning
Aluminium opening porthole(s) with flyscreen
Electric silent-flush freshwater toilet
Full set of Heirlooms fine bed linen (includes pillows and duvet)
Full standing height shower with hinged floor tray
LED ceiling lights
Mirror
One fold-up berth and one fixed berth with drawers
Power point(s)
Random teak floor
Shower proof curtains
Sink with hot and cold mixer tap

12/16/2025

FAIRLINE SQUADRON 65 KALAMARDA 3



12/16/2025

FAIRLINE SQUADRON 65 KALAMARDA 3



12/16/2025

FAIRLINE SQUADRON 65 KALAMARDA 3



12/16/2025

FAIRLINE SQUADRON 65 KALAMARDA 3



12/16/2025

FAIRLINE SQUADRON 65 KALAMARDA 3



12/16/2025

FAIRLINE SQUADRON 65 KALAMARDA 3



12/16/2025

FAIRLINE SQUADRON 65 KALAMARDA 3



12/16/2025

FAIRLINE SQUADRON 65 KALAMARDA 3



12/16/2025

FAIRLINE SQUADRON 65 KALAMARDA 3



12/16/2025

FAIRLINE SQUADRON 65 KALAMARDA 3





12/16/2025

FAIRLINE SQUADRON 65 KALAMARDA 3



12/16/2025

FAIRLINE SQUADRON 65 KALAMARDA 3



12/16/2025

FAIRLINE SQUADRON 65 KALAMARDA 3



12/16/2025

FAIRLINE SQUADRON 65 KALAMARDA 3



12/16/2025

FAIRLINE SQUADRON 65 KALAMARDA 3



DISCLAIMER

Whilst every care has been taken in the preparation of these particulars, their accuracy is not guaranteed. They are intended as guides only and as such do not constitute a part of any contract. A prospective purchaser is advised to check all particulars and where appropriate and at his own expense to employ a qualified marine surveyor to carry out a survey and/or to have an engine trial conducted, which if conducted by us shall not imply any liability on our part. All dimensions, performance figures & range notes given are approximate and should be treated as a guide only. Pictures may be from a brochure or of a similar vessel. Engine hours shown are correct at the time of preparation of the particulars, but will vary with usage. Availability of specific vessels may be subject to change, we therefore recommend you call for confirmation. N.B. Ribs, dinghies, water toys and out-board engines are not included in the sale unless other wise stated.

+44 (0) 1305 766 504

SALES@JDYACHTS.COM

© JD YACHTS 2002 - 2025. ALL RIGHTS RESERVED.